

# SAFETY DATA SHEET

# **Cutan InstantFOAM Hand Sanitiser**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Cutan InstantFOAM Hand Sanitiser

Product number CFS39H, CFS400P, CFS47ML, CFS400PDM

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

# 1.3. Details of the supplier of the safety data sheet

Supplier SC Johnson Professional Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

+44 (0) 1773 855100 info.prouk@scj.com

### 1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

National Poisons Information Centre (Eire) 01-8092566/8379964

#### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Flam. Liq. 2 - H225

**Health hazards** Eye Irrit. 2 - H319

Environmental hazards Not Classified

# 2.2. Label elements

# Hazard pictograms





Signal word Danger

**Hazard statements** H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

### **Cutan InstantFOAM Hand Sanitiser**

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P404 Store in a closed container.

P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label information

BPR001 Use biocides safely. Always read the label and product information before use.

# 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

ETHANOL 80%

CAS number: 64-17-5 EC number: 200-578-6

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

**General information** Get medical attention if any discomfort continues.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion Rinse mouth. Promptly get affected person to drink large volumes of water to dilute the

swallowed chemical. Never give anything by mouth to an unconscious person. Do not induce

vomiting. Get medical attention if any discomfort continues.

Skin contact Not relevant.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

# 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** No specific symptoms known.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

**Eye contact** May cause severe eye irritation.

# $\underline{\textbf{4.3.}} \ \textbf{Indication of any immediate medical attention and special treatment needed}$

**Notes for the doctor**No specific recommendations.

## SECTION 5: Firefighting measures

# 5.1. Extinguishing media

### Cutan InstantFOAM Hand Sanitiser

Suitable extinguishing media Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry

powder. Dry chemicals, sand, dolomite etc.

## 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is highly flammable.

Hazardous combustion

products

Oxides of carbon.

### 5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire from safe distance or protected location.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

## 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand,

earth or other suitable non-combustible material.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a

spillage.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame. Avoid contact with eyes. Good general

ventilation should be adequate to control worker exposure to airborne contaminants.

Advice on general occupational hygiene

Do not smoke in work area.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away

from heat, sparks and open flame. Store at temperatures not exceeding 40°C. Take

precautionary measures against static discharges.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

# Occupational exposure limits

**ETHANOL** 

### **Cutan InstantFOAM Hand Sanitiser**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup> WEL = Workplace Exposure Limit.

Ingredient comments

WEL = Workplace Exposure Limits

# ETHANOL (CAS: 64-17-5)

Ingredient comments None.

**DNEL** Professional - Inhalation; local effects: 1900 mg/m³

Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m³

Consumer - Inhalation; local effects: 950 mg/m<sup>3</sup>

Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m³ Consumer - Oral; Long term systemic effects: 87 mg/kg/day

PNEC - marine water; 0.79 mg/l

- Fresh water; 0.96 mg/l

- Intermittent release; 2.75 mg/l

- STP; 580 mg/l

Sediment (Freshwater); 3.46 mg/kgSediment (Marinewater); 2.9 mg/l

- Soil; 0.63 mg/kg

# COCOGLUCOSIDE (CAS: 68515-73-1)

**DNEL** Workers - Inhalation; Long term systemic effects: 420 mg/m³

Workers - Dermal; Long term systemic effects: 595000 mg/kg/day General population - Inhalation; Long term systemic effects: 124 mg/m³ General population - Dermal; Long term systemic effects: 357000 mg/kg/day General population - Oral; Long term systemic effects: 35.7 mg/kg/day

PNEC - Fresh water; 0.176 mg/l

marine water; 0.0176 mg/lIntermittent release; 0.27 mg/l

- STP; 560 mg/l

Sediment (Freshwater); 1.516 mg/kgSediment (Marinewater); 0.152 mg/kg

- Soil; 0.654 mg/kg

#### 8.2. Exposure controls

Protective equipment



Appropriate engineering

controls

Not relevant.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment that provides appropriate eye and face

protection should be worn.

Hand protection Not applicable.

# **Cutan InstantFOAM Hand Sanitiser**

Other skin and body

Not relevant.

protection

**Hygiene measures**Do not smoke in work area. Promptly remove any clothing that becomes contaminated.

Respiratory protection Not relevant.

## SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Alcoholic.

Odour threshold Not determined.

**pH** pH (concentrated solution): 5.0-7.5

Melting point

Initial boiling point and range

Not determined.

Not determined.

7 15.3°C A.9

Evaporation rate

Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure

Vapour density

Not determined.

Relative density

~ 0.844 @ 20°C

Solubility(ies)

Soluble in water.

Partition coefficient

Not determined.

Auto-ignition temperature

Not determined.

Not determined.

Viscosity 2.67 mPa s @ 20°C

=.0. ... 4 0 @ =0 0

**Explosive properties** Not determined.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information No information required.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

Not known.

reactions

### **Cutan InstantFOAM Hand Sanitiser**

10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Oxides of carbon.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vivo**Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - Does not contain

development

Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

**Aspiration hazard** 

**Aspiration hazard**Based on available data the classification criteria are not met.

General information No specific health hazards known.

**Inhalation** No specific health hazards known.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

**Skin contact** Skin irritation should not occur when used as recommended.

## **Cutan InstantFOAM Hand Sanitiser**

**Eye contact** Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

# Toxicological information on ingredients.

## **ETHANOL**

Acute toxicity - oral

Acute toxicity oral (LD50

10,470.0

mg/kg)

Species Rat

Notes (oral LD₅o) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 10,470.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 20,000.0

mg/kg)

Species Rabbit

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Acute toxicity inhalation

(LC<sub>50</sub> vapours mg/l)

117.0

**Species** Rat

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

ATE inhalation (vapours

mg/l)

117.0

Skin corrosion/irritation

Animal data Oedema score: Very slight oedema - barely perceptible (1).

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vivo**Does not contain any substances known to be mutagenic.

Reproductive toxicity

Reproductive toxicity -

Does not contain any substances known to be toxic to reproduction.

development

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** No information available.

Aspiration hazard

# **Cutan InstantFOAM Hand Sanitiser**

**Aspiration hazard**Based on available data the classification criteria are not met.

.

General information No specific health hazards known.

**Inhalation** No specific health hazards known.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

**Skin contact** Skin irritation should not occur when used as recommended.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following:

Redness. Pain.

# SECTION 12: Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

Ecological information on ingredients.

### **ETHANOL**

**Ecotoxicity** The product is not expected to be hazardous to the environment.

12.1. Toxicity

**Toxicity** The product is not expected to be toxic to aquatic organisms.

Ecological information on ingredients.

#### **ETHANOL**

**Toxicity** The product is not expected to be toxic to aquatic organisms.

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow)

LC<sub>50</sub>, 96 hours: mg/l, Fish

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: mg/l, Daphnia magna

invertebrates

EC<sub>50</sub>, > 48 hours: 10000 mg/l, Daphnia magna EC<sub>50</sub>, : 858 24H mg/l, Marinewater invertebrates

Acute toxicity - aquatic

EC<sub>50</sub>, 72 hours: 275 mg/l, Freshwater algae

plants

IC<sub>50</sub>, 72 hours: 5000 mg/l, Algae

## 12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

Ecological information on ingredients.

# **ETHANOL**

Persistence and degradability

The product is expected to be biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.

# **Cutan InstantFOAM Hand Sanitiser**

### **ETHANOL**

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient : -0.35

12.4. Mobility in soil

**Mobility** The product is soluble in water.

Ecological information on ingredients.

**ETHANOL** 

**Mobility** The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

**ETHANOL** 

**Results of PBT and vPvB** This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

**ETHANOL** 

Other adverse effects None known.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

**Disposal methods**This material and its container must be disposed of as hazardous waste. Dispose of waste

product or used containers in accordance with local regulations Reuse or recycle products

wherever possible.

# SECTION 14: Transport information

14.1. UN number

**UN No. (ADR/RID)** 1170

**UN No. (IMDG)** 1170

**UN No. (ICAO)** 1170

**UN No. (ADN)** 1170

14.2. UN proper shipping name

Proper shipping name

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

(ADR/RID)

# **Cutan InstantFOAM Hand Sanitiser**

Proper shipping name (IMDG) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ICAO) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ADN) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

# 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

#### Transport labels



## 14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group

ADN packing group

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 2

Emergency Action Code •2YE

Hazard Identification Number 33

(ADR/RID)

Tunnel restriction code (D/E)

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **Cutan InstantFOAM Hand Sanitiser**

## **EU** legislation

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

General information Use biocides safely. Always read the label and product information before use.

Key literature references and

sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the

appropriate relevant information is incorporated into this Safety Data Sheet.

Revision comments Revision of information

Revision date 14/09/2021

Revision 11

Supersedes date 10/12/2018

Hazard statements in full H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

**Notes for Hazard Statements** 

in Full

The full text for Hazard Statements in section 16 relates to the reference numbers in sections

2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.