

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Issue date: 17/03/2022 Revision date: 23/12/2024 Supersedes version of: 07/06/2024 Version: 1.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : BioHygiene Organic Acid Descaler

Product code : BH010

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Toilet & Urinal Descaler

Uses advised against

Restrictions on use : Not for direct application to food stuffs, Not for oral consumption

1.3. Details of the supplier of the safety data sheet

BioHygiene

Unit A - D 12, Pant Glas Industrial Estate

Bedwas Caerphilly CF83 8GE

UIV

T +44 (0) 29 2067 4094 info@biohygiene.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0) 29 2067 4094 (9am to 5pm)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1C

H314
Serious eye damage/eye irritation, Category 1

H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger

Contains : L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid; C08-10 Alkyl glucoside

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.
P280 - Wear eye protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER.

2.3. Other hazards

This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid	CAS-No.: 79-33-4 EC-No.: 201-196-2 EC Index-No.: 607-743-00-5 REACH-no: 01-2119474164- 39	≥ 5 – < 15	Skin Corr. 1C, H314 Eye Dam. 1, H318
C08-10 Alkyl glucoside	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530- 36-XXXX	≥1-<3	Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Wash skin with plenty of water. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth out with water. Get immediate medical

advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Repeated or prolonged contact may cause skin irritation. Direct contact with the eyes is likely to be irritating.

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after skin contact : May cause moderate irritation, including burning sensation, tearing, redness or swelling.

Symptoms/effects after eye contact : May cause eye irritation. redness, itching, tears. Risk of serious damage to eyes.

23/12/2024 (Revision date) GB - en 2/12

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Symptoms/effects after ingestion

: May cause severe irritation to the digestive tract. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive. Reactivity in case of fire : Product is not explosive.

Hazardous decomposition products in case of fire : On heating irritating fumes to eyes or skin may be produced.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Wash immediately with plenty of water.

For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing. When opening containers, avoid breathing

vapours that may be emanating.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Presents no particular risk to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Wash contaminated area with large amounts of water.

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

Other information : Small amount of unwanted product may be flushed with water to sewer.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. When opening containers, avoid breathing vapours that

may be emanating.

Hygiene measures : Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : No special requirement. Storage conditions : Store in a dry place.

23/12/2024 (Revision date) GB - en 3/12

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

7.3. Specific end use(s)

Cleaner & descaler liquid for washrooms.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

BioHygiene Organic Acid Descaler	
United Kingdom - Occupational Exposure Limits	
Remark Contains no substances with occupational work exposure limits.	

DNEL and PNEC

L-(+)-lactic acid; (2S)-2-hydroxypropanoic a	L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)		
DNEL/DMEL (Workers)			
Acute - systemic effects, dermal	no hazard identified		
Acute - systemic effects, inhalation	no hazard identified		
DNEL/DMEL (General population)			
Acute - systemic effects, dermal	no hazard identified		
Acute - systemic effects, oral	no hazard identified		
PNEC (Water)			
PNEC aqua (freshwater)	no hazard identified		
PNEC aqua (marine water)	no hazard identified		
PNEC (Sediment)			
PNEC sediment (freshwater)	no hazard identified		
PNEC sediment (marine water)	no hazard identified		
PNEC (STP)			
PNEC sewage treatment plant	no hazard identified		
C08-10 Alkyl glucoside (68515-73-1)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	595000 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	420 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	35.7 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	124 mg/m³		
Long-term - systemic effects, dermal	357000 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.176 mg/l		
PNEC aqua (marine water)	0.0176 mg/l		
PNEC aqua (intermittent, freshwater)	0.27 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	1516 mg/kg dwt		

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

08-10 Alkyl glucoside (68515-73-1)	
PNEC sediment (marine water)	0.152 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.654 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	111.11 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	560 mg/l

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

No special requirement.

Personal protection equipment

Personal protective equipment:

Wear eye protection.

Personal protective equipment symbol(s):





Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Type Field of application Characteristics Standard			Standard
Safety glasses	Droplet	With side shields	EN 166

Skin protection

Skin and body protection:

No special requirement

Hand protection:

Protective gloves. Handling and dilution of concentrates

Hand protection	and protection				
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)			EN ISO 374
Reusable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)	>0.38mm		EN ISO 374

Other skin protection

Materials for protective clothing:

Not applicable.

Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Thermal hazards

Thermal hazard protection:

Not required.

Environmental exposure controls

Environmental exposure controls:

No special environmental concerns.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue. Appearance : Liquid. Odour : Pleasant. Odour threshold : Not available : Not applicable Melting point : Not available Freezing point : Not available **Boiling point** : Not flammable Flammability : Not available Lower explosion limit Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available

pH : 2

Viscosity, kinematic : Not available Solubility Soluble in water. Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure : Not available Vapour pressure at 50°C Not available 1.07 - 1.08 @ 20°C Density Relative density Not available Relative vapour density at 20°C Not available Particle characteristics Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)	
LD50 oral rat	< 3543 mg/kg bodyweight Female Rat
LD50 oral	< 4936 mg/kg bodyweight Male Rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 7.94 mg/l air Animal:rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

C08-10 Alkyl glucoside (68515-73-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal:rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Causes severe skin burns.

pH: 2

Serious eye damage/irritation : Causes serious eye damage.

pH: 2

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

C08-10 Alk	cyl glucoside	(68515-73-1)
CUO-IU AIR	(vi diucoside	(00010-70-11

NOAEL (oral, rat, 90 days)

100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term: Not classified

(acute)

Hazardous to the aquatic environment, long-term $\,:\,$ Not classified

(chronic)

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)	
LC50 - Fish [1]	195 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	130 – 750 mg/l Test organisms (species): Daphnia magna
ErC50 algae	> 2800 mg/l (Pseudokirchneriella subcapitata (algae))
C08-10 Alkyl glucoside (68515-73-1)	
LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

BioHygiene Organic Acid Descaler	
Persistence and degradability Readily biodegradable.	
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)	
Persistence and degradability	Readily biodegradable.
C08-10 Alkyl glucoside (68515-73-1)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

BioHygiene Organic Acid Descaler		
Bioaccumulative potential The product is miscible in water and readily biodegradable in both water are Accumulation is not expected.		
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)		
oaccumulative potential Not potentially bioaccumulable.		
C08-10 Alkyl glucoside (68515-73-1)		
Bioaccumulative potential	Not potentially bioaccumulable.	

12.4. Mobility in soil

BioHygiene Organic Acid Descaler	
Additional information	Soluble in water

12.5. Results of PBT and vPvB assessment

BioHygiene Organic Acid Descaler

This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII

This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

12.7. Other adverse effects

Other adverse effects : No adverse affects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3265	UN 3265	Not regulated	UN 3265	UN 3265
14.2. UN proper shipping	g name			
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid))	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid))	Not regulated	(Corrosive liquid, acidic, organic, n.o.s. (lactic acid))	(Corrosive liquid, acidic, organic, n.o.s. (lactic acid))
Transport document desc	cription			
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III	Not regulated	UN 3265 (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III	UN 3265 (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III
14.3. Transport hazard	class(es)			
8	8	Not regulated	8	8
8	8	Not regulated	8	8
14.4. Packing group				
III	III	Not regulated	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Not regulated	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informa	tion available		•	

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C3
Special provisions (ADR) : 274
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P001
Mixed packing provisions (ADR) : MP8, MP17

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Portable tank and bulk container instructions (ADR) : T14 Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L10BH

Vehicle for tank carriage : AT

Transport category (ADR) : 1

Special provisions for carriage - Operation (ADR) : S20

Hazard identification number (Kemler No.) : 88

Orange plates :

3265

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

Transport by sea

No data available

Air transport

Not regulated

Inland waterway transport

Classification code (ADN) : C3

Rail transport

Classification code (RID) : C3

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

UK HSE EH40 workplace exposure limits Regulation (EC) 1907/2006 - REACH (UK amended)

Germany

Air Quality Control (TA Luft)					
Category	Class	Applicable on	Local name		Max. mass concentration

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and a	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		

Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Abbreviations and acronyms:	
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Eye Dam. 1 Serious eye damage/eye irritation, Category 1	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.